



TM

GTECH

TOOLS

CATALOUGES 2026 - 05

GT-03 ANGLE GRINDER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 4 Inch
- Voltage : 220V - 240V
- Input Power : 1450 Watts
- No Load Speed : 12000 RPM
- Frequency : 50H - 60H

GT-05 ANGLE GRINDER



- ✓ Industrial Grade
- ✓ Vortex Heat Dissipation
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Alloy Gear

SPECIFICATIONS

- SIZE : 4 Inch
- Voltage : 220V - 240V
- Input Power : 1450 Watts
- No Load Speed : 12000 RPM
- Frequency : 50H - 60H

2-20 HQ ROTARY HAMMER




- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Reverse Forward

SPECIFICATIONS

- Drill Capacity : 20mm
- Voltage : 220V - 240V
- Input Power : 1500 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H - 60H

2-26 HQ ROTARY HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ 3 Mode Function

SPECIFICATIONS

- Drill Capacity : 26mm
- Voltage : 220V - 240V
- Input Power : 2500 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H - 60H

Pro Series



GT - 10 PRO ELECTRIC DRILL



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Alloy Gear

SPECIFICATIONS

- Drill Capacity : 10mm
- Voltage : 220V - 240V
- Input Power : 750 Watts
- No Load Speed : 3300 RPM
- Frequency : 50H - 60H

GT-13 PRO ELECTRIC DRILL



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Alloy Gear

SPECIFICATIONS

- Drill Capacity : 13mm
- Voltage : 220V - 240V
- Input Power : 1250 Watts
- No Load Speed : 2800 RPM
- Frequency : 50H - 60H

GT-EV35 PRO CONCRATE VIBRATOR




- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ 35/50 Both Suitable

SPECIFICATIONS

- Diameter : 35 MM
- Voltage : 220V - 240V
- Input Power : 1600 Watts
- No Load Speed : 4500 RPM
- Frequency : 50H - 60H

GT-160VS PRO PAINT MIXER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Variable Speed

SPECIFICATIONS

- Diameter : 12 mm
- Voltage : 220V - 240V
- Input Power : 1200 Watts
- No Load Speed : 780 RPM
- Frequency : 50H - 60H

GT-EB PRO ELECTRIC BLOWER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Variable Speed

SPECIFICATIONS

- Wind Volume : 2.8m³/min
- Voltage : 220V – 240V
- Input Power : 1200 Watts
- No Load Speed : 16000 RPM
- Frequency : 50H – 60H

GT-45 ELECTRIC BLOWER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Interchangeable

SPECIFICATIONS

- Wind Volume : 2.5m³/min
- Voltage : 220V – 240V
- Input Power : 1000 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H – 60H



GTECH PRO 13MM DRILL MACHINE

BUILT FOR POWER. MADE FOR PROFESSIONALS.



1250 WATTS
HIGH PERFORMANCE MOTOR



100% COPPER
HIGH EFFICIENCY MOTOR



ALLOY GEAR
STRONG & DURABLE



HAMMER FUNCTION
PERFECT FOR CONCRETE



REVERSE FORWARD
FOR EASY OPERATION



VARIABLE SPEED
CONTROL AT YOUR FINGERTIPS



GT-02 ANGLE GRINDER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 4 Inch
- Voltage : 220V – 240V
- Input Power : 1300 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H – 60H

GT-4SA MARBLE CUTTER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 110 mm
- Voltage : 220V – 240V
- Input Power : 1100 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H – 60H

GT-2-20 ROTARY HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Reverse Forward

SPECIFICATIONS

- Drill Capacity : 20mm
- Voltage : 220V – 240V
- Input Power : 1200 Watts
- No Load Speed : 1300 RPM
- Frequency : 50H – 60H

GT-2-26 ROTARY HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ 3 Mode Function

SPECIFICATIONS

- Drill Capacity : 26mm
- Voltage : 220V – 240V
- Input Power : 2000 Watts
- No Load Speed : 1300 RPM
- Frequency : 50H – 60H

Classic Series



DH-812 DEMOLITION HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Inter-changeable

SPECIFICATIONS

- WEIGHT : 6 KG
- Voltage : 220V - 240V
- Input Power : 2500 Watts
- No Load Speed : 3800 BPM
- Frequency : 50H - 60H

DH-845 DEMOLITION HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ S.D.S Hex

SPECIFICATIONS

- WEIGHT : 7 KG
- Voltage : 220V - 240V
- Input Power : 3000 Watts
- No Load Speed : 3800 BPM
- Frequency : 50H - 60H

DH-855 DEMOLITION HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Mini 11E

SPECIFICATIONS

- WEIGHT : 8 KG
- Voltage : 220V - 240V
- Input Power : 3500 Watts
- No Load Speed : 3800 BPM
- Frequency : 50H - 60H

DH-860 DEMOLITION HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ S.D.S Hex

SPECIFICATIONS

- WEIGHT : 8 KG
- Voltage : 220V - 240V
- Input Power : 4000 Watts
- No Load Speed : 3800 BPM
- Frequency : 50H - 60H

GT - EM160 PAINT MIXER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Heavy Duty

SPECIFICATIONS

- Diameter : 12 mm
- Voltage : 220V - 240V
- Input Power : 1050 Watts
- No Load Speed : 780 RPM
- Frequency : 50H - 60H

GT - EV35 CONCRETE VIBRATOR



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Interchangeable

SPECIFICATIONS

- Diameter : 35 MM
- Voltage : 220V - 240V
- Input Power : 1200 Watts
- No Load Speed : 4500 RPM
- Frequency : 50H - 60H

GT-VS-41 ELECTRIC BLOWER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Interchangeable

SPECIFICATIONS

- Wind Volume : 2.5m³/min
- Voltage : 220V - 240V
- Input Power : 750 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H - 60H

GT-VB-60 VACCUM BLOWER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ VACCUM CUM BLOWER

SPECIFICATIONS

- Wind Volume : 4.5m³/min
- Voltage : 220V - 240V
- Input Power : 1600 Watts
- No Load Speed : 16000 RPM
- Frequency : 50H - 60H

GT-01 ANGLE GRINDER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 4 Inch
- Voltage : 220V - 240V
- Input Power : 1250 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H - 60H

GT-804 ANGLE GRINDER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 4 Inch
- Voltage : 220V - 240V
- Input Power : 1050 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H - 60H

GT-4SA MARBLE CUTTER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 110 mm
- Voltage : 220V - 240V
- Input Power : 1250 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H - 60H

GT-11EHQ DEMOLITION HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ S.D.S Max

SPECIFICATIONS

- WEIGHT : 11 KG
- Voltage : 220V - 240V
- Input Power : 3200 Watts
- No Load Speed : 1990 BPM
- Frequency : 50H - 60H

Red Series



GT-58CC PETROL CHAINSAW



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Cylinder
- ✓ Professional Quality
- ✓ Easy Starter

SPECIFICATIONS

- SIZE : 18" / 22"
- Power : 58CC
- Input Power : 2400 Watts
- Fuel Tank Capacity : 550 ML
- Oil Tank Capacity : 260 ML

GT-62CC PETROL CHAINSAW



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Cylinder
- ✓ Metal Starting Assmbly
- ✓ Easy Starter

SPECIFICATIONS

- SIZE : 18" / 22"
- Power : 62CC
- Input Power : 2400 Watts
- Fuel Tank Capacity : 550 ML
- Oil Tank Capacity : 260 ML

GT-70CC PETROL CHAINSAW



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Cylinder
- ✓ Metal Starting Assmbly
- ✓ Easy Starter

SPECIFICATIONS

- SIZE : 18" / 22"
- Power : 70CC
- Input Power : 2400 Watts
- Fuel Tank Capacity : 550 ML
- Oil Tank Capacity : 260 ML

GT-22E ELECTRIC CHAINSAW



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Metal Body

SPECIFICATIONS

- SIZE : 22"
- Watts : 3200 W
- Input Power : 220-240 V
- RPM : 520 M/Min
- Cutting Capacity : 550mm

GT-8500 EARTH AUGER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Cylinder
- ✓ Professional Quality
- ✓ Easy Starter

SPECIFICATIONS

- Engine Type : 2 Strokes
- Power : 85CC
- Idling Speed : 3000 R/Min
- Fuel Tank Capacity : 550 ML
- Oil Tank Capacity : 260 ML

GT-355 CUT-OFF MACHINE



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ 100% Copper
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 14 Inch
- Voltage : 220V - 240V
- Input Power : 3000 Watts
- No Load Speed : 3900 RPM
- Frequency : 50H - 60H

GT-ECO40 ELECTRIC BLOWER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Heavy Duty

SPECIFICATIONS

- Wind Volume : 2.8m³/min
- Voltage : 220V - 240V
- Input Power : 750 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H - 60H

GT-EBC40 ELECTRIC BLOWER



- ✓ Variable Speed
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Heavy Duty

SPECIFICATIONS

- Wind Volume : 2.8m³/min
- Voltage : 220V - 240V
- Input Power : 850 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H - 60H

Red Series



GT-EBC40 V/S ELECTRIC BLOWER



- ✓ Variable Speed
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Heavy Duty

SPECIFICATIONS

- Wind Volume : 2.8m³/min
- Voltage : 220V – 240V
- Input Power : 850 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H – 60H

GT-40 ELECTRIC BLOWER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Heavy Duty

SPECIFICATIONS

- Wind Volume : 2.8m³/min
- Voltage : 220V – 240V
- Input Power : 750 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H – 60H

GT-25AT IMPACT WRENCH



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ With Accessories
- ✓ 2 In 1 Function

SPECIFICATIONS

- Battery : 25 V
- Torque : 380 NM
- Max Drive : 12.7 MM (1/2)
- No Load Speed : 3300 RPM
- Charging Output : 1.0 ADC

GT-200 MOS WELDING MACHINE



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Heavy Duty
- ✓ With Accessories
- ✓ 3 Board

SPECIFICATIONS

- AMP : 200
- Type : Moschped
- MCB Switch : Yes
- Input : 220 V
- Frequency : 50 Hz

KT-801 ANGLE GRINDER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 4 Inch
- Voltage : 220V - 240V
- Input Power : 850 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H - 60H

KT-4SA MARBLE CUTTER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 110 mm
- Voltage : 220V - 240V
- Input Power : 1050 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H - 60H

KT-SA PRO MARBLE CUTTER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 110 mm
- Voltage : 220V - 240V
- Input Power : 1250 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H - 60H

KT-CM5 PRO MARBLE CUTTER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 125 mm
- Voltage : 220V - 240V
- Input Power : 1700 Watts
- No Load Speed : 11000 RPM
- Frequency : 50H - 60H

Eco Series



KT-810 DEMOLITION HAMMER



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Inter-changeable

SPECIFICATIONS

- WEIGHT : 5 KG
- Voltage : 220V – 240V
- Input Power : 900 Watts
- No Load Speed : 3800 BPM
- Frequency : 50H – 60H

KT-355 CUT-OFF MACHINE



- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Powerful Motor
- ✓ Professional Quality
- ✓ Easy Disc Change

SPECIFICATIONS

- SIZE : 14 Inch
- Voltage : 220V – 240V
- Input Power : 2000 Watts
- No Load Speed : 3900 RPM
- Frequency : 50H – 60H

KT-EBC40 ELECTRIC BLOWER



- ✓ Industrial Grade
- ✓ Nylon Body
- ✓ 5 Meter Cable
- ✓ Professional Quality
- ✓ Heavy Duty

SPECIFICATIONS

- Wind Volume : 2.8m³/min
- Voltage : 220V – 240V
- Input Power : 850 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H – 60H

KT-EB40 ELECTRIC BLOWER




- ✓ Industrial Grade
- ✓ Durable Performance
- ✓ Power Motor
- ✓ Professional Quality
- ✓ Heavy Duty

SPECIFICATIONS

- Wind Volume : 2.8m³/min
- Voltage : 220V – 240V
- Input Power : 850 Watts
- No Load Speed : 13000 RPM
- Frequency : 50H – 60H

DIAMOND SAW BLADES



4" SEGMENT ECO



4" RIM ECO



5" SEGMENT ECO



5" RIM ECO



4" SEG CLASSIC



4" RIM CLASSIC



5" SEG CLASSIC



5" RIM CLASSIC



6" SEG CLASSIC



6" RIM CLASSIC



8" SEG CLASSIC



8" RIM CLASSIC




14" SEG CLASSIC



4" CERAMIC CLASSIC



4" CERAMIC YELLOW




4" CERAMIC GREEN



2 IN 1 CUP WHEEL



4" GRANITE PRO



14" GRANITE PRO



4" SUPER THIN TURBO

DIAMOND SAW BLADES



4.5" GRANITE



3" CUP WHEEL CUT



3" CUP WHEEL RIM



3" CUP WHEEL TURBO

ABRASIVES



4" SINGLE NET



4" DOUBLE NET



14" SINGLE NET



FLAP DISC METAL

TAILONG



4" SINGLE NET



4" DOUBLE NET



5" CUT OF WHEEL



7" CUT OF WHEEL



12" CUT OF WHEEL



14" CUT OF WHEEL



4X4 DC WHEEL GREEN



4X6 DC WHEEL GREEN



5X6 DC WHEEL GREEN



7X6 DC WHEEL GREEN



4X6 DC WHEEL BROWN

ACCESSORIES



18"
22"

CHAIN



16" GUIDE BAR



18" GUIDE BAR



22" GUIDE BAR



SPARK PLUG



2 PIN CARBORATOR



3 PIN CARBORATOR



AUGER BITS (ALL SIZE)



MIXER ROD (SPIRAL)



MIXER ROD (FAN)



23" SDS ROD



16" SDS ROD

GTECH NIDDLES



- 1 MTR NIDDLE
- 2 MTR NIDDLE
- 1.5 MTR NIDDLE
- 3 MTR NIDDLE



GTECH CHISELS

- 14X250 POINT
- 14X250 FLAT
- 17X280 POINT
- 17X280 FLAT
- 18X280 POINT
- 18X280 FLAT
- 17X400 POINT
- 17X400 FLAT
- 18X400 POINT
- 18X400 FLAT
- 30X410 POINT
- 30X410 FLAT

ACCESSORIES



SIZE
• 10 X 10
• 13 X 13

DRILL CHUCK



PH2 BIT 65MM



DISCO BIT WITH RING



PH2 BIT 100MM



• 801 • PD100D • CM4SA

SPANNERS



CAULKING GUN PVC



WELDING HOLDER



WELDING HOLDER GOLD



PRUNING SAW SMALL



PRUNING SAW MEDIUM



14" PRUNING SAW



PRUNING SAW FOLDING



PRUNING SAW SINGLE HOOK



PRUNING SAW DOUBLE HOOK



FLOWER CUTTER



SUCTION CUP



CLAW HAMMER

• 1/2"
• 3/4"
• 1"



RUBBER HAMMER ORANGE

• 280 GM
• 380 GM
• 480 GM
• 650 GM



RUBBER HAMMER WHITE

• 290 GM
• 390 GM
• 490 GM
• 580 GM



RUBBER HAMMER HD

• 12 OZ (450 GM)
• 15 OZ (550 GM)



MEASURING TAPE

• 3 MTR
• 5 MTR



MEASURING TAPE FIBER GLASS

• 15 MTR
• 30 MTR
• 50 MTR

ABS

- SINGLE HANDLE
- DOUBLE HANDLE
- THREE HANDLE

ALUMINIUM

- SINGLE HANDLE
- DOUBLE HANDLE
- THREE HANDLE